

Product Catalog

OCCAMAX
ALUMINIUM

Specialized In Aluminium



OCCAMAX
ALUMINIUM


TEL: 03-6137 3635/018-353 9696 FAX: 03-6127 4696 EMAIL: info.occamax@gmail.com

Website : www.occamax.com

NO 19, JALAN OS 1/1, ONE SELAYANG, 68100 BATU CAVES SELANGOR



OCCAMAX
ALUMINIUM





CREATIVITY & INNOVATION

To create the world - class home hardware



Product Catalog



001/004
EXPOSED FOLDING DOOR



005/017
MULTIPOINT HANDLE



018/020
EURO WINDOW HINGE



021/030
MULTIPOINT ACCESSORIES



031/032
LOUVER WINDOW



033/034
MULTIPOINT FLAT BAR



035/044
FRICTION STAY



045/057
MULTI FOLDING DOOR



058/063
EURO WINDOW
& DOOR ROLLER



064/071
NOBLE DOOR LOCK



072/077
MORTISE LOCK



078/079
TURBULAR LEVER LOCK



080
DOOR FITTING
ACCESSORIES



081/082
DOOR CLOSER



083/088
DOOR CLOSER



089/092
DOOR CLOSER



093/094
HYDRAULIC FLOOR
DOOR CLOSE



095/099
GLASS DOOR LOCK



100/106
BLACK SERIES SHOWER



107/116
MODERN SLIDING
GLASS DOOR




117/118
PVC SEALING STRIPS



119/120
SPIDER FITTINGS



121/124
HANDRAIL SERIES




125/135
PULL HANDLE




136/137
S.STEEL SECURITY
SCREEN MESH


PERFORMANCE SLIDING DOOR




PERFORMANCE SLIDING WINDOW-LB SERIES



EXPOSED FOLDING DOOR




OPTIONAL COMBINATION





SWING/SLIDING DOOR LOCKING SYSTEM



MULTIPOINT HANDLE


Reinforced multi-point handles provide durability and security strengthened.
Designed for style and class.



- ★ The used of quality materials and the coating system ensure good mechanical quality, uniformity of colour and good resistance to abrasion.
- ★ To be used in inward opening, outward opening, tilt, turn and sliding.
- ★ Attractive lines and design.
- ★ Ergonomic handle makes it comfortable to use daily.
- ★ A coating on the handle that provides friction against the hand, reducing the gripping force needed to achieve a reliable grip.
- ★ Sufficient circumference to distribute the force comfortably and safely over the hand
- ★ Easy to install and maintain.


AB-ML-1616

Euro Handle Double
Side Without Key
Material : Zinc Alloy
Finishing : White / Black
Packing : 25 set / ctn



AB-ML-1615

Euro Handle Double
With One Side Key
Material : Zinc Alloy
Finishing : White / Black
Packing : 25 set / ctn




AB-ML-1618

Euro Handle Double Side Without Key

Material : Zinc Alloy

Finishing : White / Black

Packing : 25 set / ctn




AB-MPH-14-S

Euro Handle Without Key

Material : Zinc Alloy

Finishing : White / Black

Packing : 50pcs / ctn




AB-MPH-16-S

Euro Handle Without Key

Material : Zinc Alloy

Finishing : White / Black

Packing : 50pcs / ctn




AB-MPH-15-S

Euro Handle With Key

Material : Zinc Alloy

Finishing : White / Black


Packing : 50pcs / ctn



AB-MPH-012 DF

Euro Handle With Double Key
& Double Accessories


Material : Zinc Alloy
Finishing : White / Black
Packing : 50pcs / ctn



AB-MPH-012 SU

Euro Handle With Key & Single Accessories


Material : Zinc Alloy
Finishing : White / Black
Packing : 50pcs / ctn



AB-MPH-305 DF

Euro Handle With Double Accessories


Material : Aluminium / Zinc Alloy
Finishing : White / Black
Packing : 80pcs / ctn



AB-MPH-305 SU

Euro Handle With Single Accessories

Material : Aluminium / Zinc Alloy
Finishing : White / Black
Packing : 80pcs / ctn




AB-MPH-018 SU

Euro Handle With Single Accessories

Material : Aluminium

Finishing : White / Black

Packing : 50pcs / ctn




AB-MPH-018 DF

Euro Handle With Double Accessories

Material : Aluminium

Finishing : White / Black

Packing : 50pcs / ctn



AB-MPH-303

Euro Handle With Single Accessories

Material : Aluminium

Finishing : White / Black

Packing : 100pcs / ctn




AB-MPH-013

Euro Handle With Single Accessories

Material : Aluminium

Finishing : White / Black

Packing : 50pcs / ctn




AB-MPH-301

Euro Handle With Single Accessories

Material : Aluminium / Zinc Alloy

Finishing : White / Black

Packing : 100pcs / ctn




AB-MPH-307

Euro Handle With Single Accessories

Material : Aluminium

Finishing : White / Black

Packing : 100pcs / ctn




AB-MPH-306

Euro Handle With Single Accessories

Material : Aluminium

Finishing : White / Black

Packing : 100pcs / ctn




AB-MH-015

Casement Handle R/L

Material : Aluminium

Finishing : White / Black / Silver

Packing : 200pcs / ctn




AB-CW-4322

Casement Handle R/L

Material : Aluminium

Finishing : White / Black / Silver


Packing : 200pcs / ctn




Casement Handle With Key R/L
Material : Zinc Alloy
Finishing : White / Black / Silver
Packing : 200pcs / ctn




Casement Handle R/L
Material : Aluminum
Finishing : White / Black / Silver
Packing : 200pcs / ctn



Casement Handle R/L
Material : Aluminum
Finishing : White / Black / Silver
Packing : 200pcs / ctn




Caseament Handle R/L




Material : Aluminium
Finishing : White / Black / Silver
Packing : 400pcs / ctn

Caseament Handle R/L




Material : Aluminium
Finishing : White / Black / Silver / Bronze
Packing : 600pcs / ctn

Casement Handle R/L



Material : Aluminium
Finishing : White / Black / Silver
Packing : 200pcs / ctn


Casement Handle R/L



Material : Aluminium
Finishing : White / Black / Silver
Packing : 400pcs / ctn

AB-CL-330 BIG


Crescent Lock R/L



Material : Aluminium
Finishing : White / Black / Silver
Packing : 400pcs / ctn

AB-CL-350 SMALL

Crescent Lock R/L




Material : Aluminium
Finishing : White / Black / Silver
Packing : 600pcs / ctn

Enabling one or both to swing open and shut. The hinges often feature decorative detailing.



AB-CL-320 KEY


Crescent Lock With Key R/L



Material : Aluminium
Finishing : White / Black / Silver
Packing : 400pcs / ctn

AB-CL-003

Crescent Lock R/L



Material : Aluminium
Finishing : White / Black / Silver
Packing : 400pcs / ctn


AB-MH-367

Euro Window Hinge

Material : Aluminium

Finishing : White / Black

Packing : 200 set / ctn




AB-MH-805

Light Duty With LB (Exposed)

Material : Aluminium

Finishing : White / Black

Packing : 200 set / ctn




AB-MH-888

Heavy Duty With PMB (Concealed)

Material : Aluminium

Finishing : White / Black

Packing : 100 set / ctn



AB-MH-891

With PMB (Exposed)

Material : Aluminium

Finishing : White / Black

Packing : 200 set / ctn




AB-MH-916

Light Duty With PMB (Concealed)

Material : Aluminium

Finishing : White / Black

Packing : 200 set / ctn




AB-MH-812

With PMB (Exposed)

Material : Aluminium


Finishing : White / Black

Packing : 200 set / ctn




CD-MP-804

Catches 6mm Exposed
Material : Aluminium
Size : 6mm
Finishing : PSS
Packing : 1600 pcs / ctn




CD-MP-8524

Catches 10mm Concealed
Material : Aluminium
Size : 10mm
Finishing : PSS
Packing : 1600 pcs / ctn




CD-MP-8206-S

Catches Flan Small
Material : Zinc Alloy
Size : 11mm
Finishing : PSS
Packing : 1500 pcs / ctn




CD-MP-8207

Catches Flan Big
Material : Zinc Alloy
Size : 13.5mm
Finishing : PSS
Packing : 1500 pcs / ctn




CD-MP-807

Lock Cam : 10mm / 12mm
Material : S.Steel SUS 304
Size : 10mm / 12mm
Finishing : SS
Packing : 1800 pcs / ctn




CD-MP-808

Push Rod : 25mm / 30mm / 35mm / 45mm
Material : S.Steel SUS 304
Size : 25mm 30mm 35mm 45mm
Finishing : SS
Packing : 1600 pcs / ctn



CD-MP-809

Aluminium U Slide Gear & Slide Fork
Material : S.Steel SUS 304
Size : 30mm
Finishing : SS
Packing : 1600 pcs / ctn




CD-MP-810

Catches 11mm / 14mm
Material : S.Steel SUS 304
Size : 11mm / 14mm
Finishing : SS
Packing : 1800 pcs / ctn




CD-MSW-111

With PMB Multi Point Catches
Material : S.Steel SUS 304
Finishing : SS
Packing : 1000 pcs / ctn




CD-MSW-112

Euro Strike
Material : Zinc Alloy
Finishing : SS
Packing : 1000 pcs / ctn



CD-MSW-115

With LB Multi Point Catches
Material : Zinc Alloy
Finishing : SS
Packing : 1000 pcs / ctn



CD-MSW-113 (BIG / SMALL)

End Transmission 6.5mm / 8.5mm


Material : Zinc Alloy

Size : 19.5mm x 6.5mm

19.5mm x 8.5mm

Finishing : SS

Packing : 500 pcs / ctn



CD-MP-114


Adjustable Plug for Additional Closing

Material : Brass

Size : 6.5mm / 8.5mm

Finishing : SS

Packing : 1000 pcs / ctn



CD-MP-812


Push Rod : 30mm

Material : S.Steel SUS 304

Size : 30mm

Finishing : SS

Packing : 200 pcs / ctn




CD-TC-184

Stopper

Material : Zinc Alloy

Finishing : White / Black

Packing : 180 set / ctn




CD-SDH-122

Sliding Door Striker

Material : Stainless Steel

Finishing : SS

Packing : 1200 pcs / ctn



CD-SDH-127

Sliding Door Hook

Material : Zinc Alloy

Finishing : SS

Packing : 500 pcs / ctn



CD-SDH-122C

Sliding Door Striker

Material : Aluminium

Finishing : SS

Packing : 500 pcs / ctn




CD-SDH-126

Sliding Door Striker

Material : Stainless Steel

Finishing : SS

Packing : 1000 pcs / ctn




CD-SDH-131

Sliding Door Striker

Material : Stainless Steel

Finishing : SS

Packing : 1000 pcs / ctn




CD-MP-314

Interlock Cover

Material : PVC

Finishing : Black

Packing : 1000 pcs / ctn



CD-MP-983


Skider

Size : 4m / 5m / 6m / 7m

Material : Pvc

Finishing : Translucent

Packing : 100 pcs / pkt




CD-MP-920

Water Guide

Material : PVC

Finishing : Black

Packing : 1000 set / ctn



CD-MP-313-M

PVC Interlock Cover

Material : Aluminium

Finishing : Black

Packing : 200 pcs/pkt




CD-MP-312

PVC Socket

Material : Aluminium

Finishing : Black

Packing : 200 pcs/pkt




MP-313

PVC Interlock Cover
Material : Aluminium
Finishing : Black
Packing : 200 pcs/pkt




CD-MP-921

Latch Keeper
Material : PVC / S.Steel
Finishing : White / Black
Packing : 640 pair / ctn




CD-MP-922

Latch Stopper (Concealed)
Material : PVC / S.Steel
Finishing : Black
Packing : 500 pair / ctn




CD-MP-923 BIG

Latch Bolt
Material : PVC / S.Steel
Finishing : White / Black
Packing : 500 pair / ctn




CD-MP-923 SMALL

Latch Bolt
Material : PVC / S.Steel
Finishing : White / Black
Packing : 500 pair / ctn




CD-MP-924

Side Stopper-LB
Material : Nylon
Finishing : White
Packing : 1000 pcs / ctn




CD-MP-925

Top Stopper-LB
Material : Nylon
Finishing : White
Packing : 1000 pcs / ctn




CD-MP-926

Center Bracket R/L (Concealed)
Material : Nylon
Finishing : Black
Packing : 400 pair / ctn




CD-MB-942

With LB Sliding Door Bracket




Corner Bracket (Concealed)




Code	Size	Material	Packing
CD-MB-911B	34mmx9mm	Aluminium	1000pcs/ctn
CD-MB-9013B	37.5mmx9mm	Aluminium	1000pcs/ctn

CD-MB-90

Corner Bracket : LB




Corner Bracket




Code	Size	Material	Packing
CD-MB-9012	30.5mmx11mm	Aluminium	1000pcs/ctn
CD-MB-912	37.5mmx11mm	Aluminium	1000pcs/ctn
CD-MB-9011	36.5mmx11mm	Aluminium	1000pcs/ctn

CD-MB-802

Inner Corner Bracket




Corner Bracket




Code	Size	Material	Packing
CD-MB-911A	37.5mmx9mm	Aluminium	1000pcs/ctn
CD-MB-91A	28mmx9mm	Aluminium	1000pcs/ctn
CD-MB-5590A	40mm x 9mm	Aluminium	1000pcs/ctn
CD-MB-913A	31.5mm x 9mm	Aluminium	1000pcs/ctn
CD-MB-9011	36.5mm x 9mm	Aluminium	1000pcs/ctn

CD-MB-943

With LB Sliding Door Bracket



Corner Bracket



Code	Size	Material	Packing
CD-MB-800	11.5mmx10mm	Aluminium	1000pcs/ctn


CD-MB-913

Size : 15.6mm/16.3mm
Thickness : 1.5mm
Packing : 500 pcs / ctn



MOSQUITO NET BRACKET

Packing : 100 pcs/pkt



CD-MB-9133

Corner Join Angle Plate
Material : SUS 304
Size : 16.8 x 2.3mm
Packing : 200 pcs/pkt



BRAND- NEW YARN STRIPS WITH LAMINATE SHEETS



A polypropylene laminate sheet in the middle of the strips allows an over five- fold increase in their degree of seal, together with those common features possessed by ordinary yarn strips.

A closed protective layer prevents air, water, noise and insect from passing through the strips.


The yarn strips penetration performance is superior to the highest first level of standard.

With reduced friction and extended life-span.

Packaged in large rolls to avoid deformity of laminate sheets.



Apply weather stripping around door frame/stop



Apply weather stripping at top and bottom of window sash.

Important Note :

The speed of aging will depend on the climatic conditions in different location and the amount of use in such as UV degradation, Humidity Issue (Heavy sun or Rain wind)

Code	Size	Material	Finishing	Packing
0.48mm x 3mm	500 meters	Siliconezed	Grey/Black	4 roll/ctn
0.48mm x 4.5mm	550 meters	Siliconezed	Grey	4 roll/ctn
0.48mm x 5mm	500 meters	Siliconezed	Grey/Black	4 roll/ctn
0.48mm x 6mm	450 meters	Siliconezed	Grey/Black	4 roll/ctn
0.48mm x 7mm	400 meters	Siliconezed	Grey/Black	4 roll/ctn
0.48mm x 8mm	350 meters	Siliconezed	Grey/Black	4 roll/ctn
0.48mm x 9mm	250meters	Siliconezed	Grey/Black	4 roll/ctn
0.48mm x 10mm	225meters	Siliconezed	Grey/Black	4 roll/ctn
0.58mm x 8mm	300 meters	Siliconezed	Grey/Black	4 roll/ctn
0.68mm x 8mm	300 meters	Siliconezed	Grey/Black	4 roll/ctn
13mm x 7mm	300 meters	Siliconezed	White	4 roll/ctn
7mm x 8mm (GLUE)	300 meters	Siliconezed	Grey	4 roll/ctn

A metal plate mounted on the corners of the window casement/sash to strengthen it.

LOUVER WINDOW

Louver window is a window blind or shutter with horizontal slats that are angled to admit light and air, but to keep out rain and direct sunshine. The angle of the slats may be adjustable, usually in blinds and windows, or fixed.




ALUMINIUM ALLOY ADJUSTABLE LOUVER

Code	Code
CD-ALUMINIUM-04	584mm
CD-ALUMINIUM-07	1004mm
CD-ALUMINIUM-08	1144mm
Material : Aluminium	
Finishing : Silver	


PP ADJUSTABLE

Code	Code
CD-PP-03/6"	445mm
CD-PP-04/6"	587mm
CD-PP-05/6"	724mm
CD-PP-06/6"	864mm
CD-PP-07/6"	1004mm
CD-PP-08/6"	1144mm
CD-PP-09/6"	1284mm
CD-PP-10/6"	1424mm
CD-PP-11/6"	1564mm
CD-PP-12/6"	1704mm
CD-PP-13/6"	1844mm
CD-PP-14/6"	1984mm
CD-PP-15/6"	2124mm
CD-PP-16/6"	2264mm
Material : PP	
Finishing : White / Black	

- ★ Excellent vision and ventilation
- ★ Lever action handle firmly locks the blades in the closed position.
- ★ Top quality accessories for better movement of roller and heavier load
- ★ Strong material carriage for better life-cycle
- ★ Easy to install and maintain



ALUMINIUM ALLOY



PP ADJUSTABLE LOUVER



PVC GLASS CLIP



Size : 6"
Material : PP / PVC
Finishing : White / Black
Packing : 200 pair / ctn

ALUMINIUM GLASS CLIP




Size : 6"
Material : Aluminium Alloy
Finishing : White / Black / Silver
Packing : 1000 pair / ctn




CD-VF ALUMINIUM FLAT BAR

Code	Size	Material	Finishing	Packing
VF-300 (2 POINT)	300	Aluminium	Silver	50 pcs/ctn
VF-600 (2 POINT)	600			
VF-900 (2 POINT)	900			
VF-1200 (2 POINT)	1200			
VF-1500 (4 POINT)	1500			




CD-SL SLIDING DOOR LOCKING BAR

Code	Size	Material	Finishing	Packing
SL-300 (2 POINT)	300	S.Steel SUS 304	SS	50 pcs/ctn
SL-600 (2 POINT)	600			
SL-900 (2 POINT)	900			
SL-1000 (2 POINT)	1000			
SL-1500 (4 POINT)	1500			



CD-VS STAINLESS STEEL BAR

Code	Size	Material	Finishing	Packing
VS-300 (2 POINT)	300	S.Steel SUS 304	SS	50 pcs/ctn
VS-600 (2 POINT)	600			
VS-800 (2 POINT)	800			
VS-1000 (2 POINT)	1000			
VS-1500 (4 POINT)	1500			
Material : Aluminium				
Finishing : Silver				



FRICITION STAY

A complete range of friction stays manufactured from different grade austenitic stainless steel Used for residential and commercial. Available in a range of stack heights & is suitable for both top hung & side hung standard applications.



Unique Features



unique
6mm
Pivot



Safety
Edge Circumference
on Supporting Arms



Quality
Stainless Steel
Slide Pallet with PVC
Coating

- ★ A comprehensive range to cater for most applications
- ★ Manufactured with the unique feature
- ★ Simple and precise operation
- ★ Precise lock cylinder system
- ★ Easy to install
- ★ Corrosion resistance
- ★ Great durability

EF-18 SQUARE GROOVE TOP HUNG

Stainless Steel Friction Stay - SUS 304




Unique
6mm
Pivot



Quality
Stainless Steel
Slide Pallet with PVC
Coating



Safety
Edge Circumference
on Supporting Arms



Top Hung

Size/Thickness	Bar	Opening Degree	Width(mm)	Height(mm)	Stack Height(mm)	Max Weight (kg)
10" / 2.0mm	4	32°±2°	950	550	14±0.2	24
14" / 2.5mm	4	33°±2°	1150	750	15.8±0.2	35
16" / 2.5mm	4	33°±2°	1150	1050	14±0.2	32
18" / 2.5mm	4	32°±2°	1150	1150	15.8±0.2	42
20" / 3.0mm	5	33°±2°	1150	1350	15.8±0.2	45
24" / 3.0mm	6	35°±2°	1250	1450	16.8±0.2	55

Code	Material	Finishing	Packing
EF-Top Hung 10" 4 Bar	S.Steel SUS 304	SS	50 pair/ctn
EF-Top Hung 14" 4 Bar	S.Steel SUS 304	SS	50 pair/ctn
EF-Top Hung 16" 4 Bar	S.Steel SUS 304	SS	50 pair/ctn
EF-Top Hung 18" 4 Bar	S.Steel SUS 304	SS	25 pair/ctn
EF-Top Hung 20" 5 Bar	S.Steel SUS 304	SS	25 pair/ctn
EF-Top Hung 24" 6 Bar	S.Steel SUS 304	SS	25 pair/ctn

EF - 22 SQUARE GROOVE - TOP HUNG

Heavy Duty Stainless Steel Friction Stay - SUS 304




Quality
Stainless Steel
Slide Pallet with PVC
Coating



Safety
Edge Circumference
on Supporting Arms



Unique
6mm
Pivot



Top Hung

Size/Thickness	Bar	Opening Degree	Width(mm)	Height(mm)	Stack Height(mm)	Max Weight (kg)
16" / 2.0mm	4	30°±2°	1200	1200	14±0.2	32
24" / 3.0mm	6	27°±2°	1400	1500	16.8±0.2	55

Code	Material	Finishing	Packing
EF-Top Hung 16" 4 Bar	S.Steel SUS 304	SS	50 pair/ctn
EF-Top Hung 24" 6 Bar	S.Steel SUS 304	SS	25 pair/ctn

EF - 22 SQUARE GROOVE - SIDE HUNG

Heavy Duty Stainless Steel Friction Stay - SUS 304




Unique
6mm
Pivot



Quality
Stainless Steel
Slide Pallet with PVC
Coating



Safety
Edge Circumference
on Supporting Arms



Side Hung

Size/Thickness	Bar	Opening Degree	Width(mm)	Height(mm)	Stack Height(mm)	Max Weight (kg)
8" / 2.5mm	4	56°±2°	500	600	14±0.2	10
10" / 2.5mm	4	86°±2°	400	1200	14±0.2	14
12" / 2.5mm	4	86°±2°	600	1350	14±0.2	17
14" / 2.5mm	4	33°±2°	1150	1050	15.8±0.2	42
16" / 2.5mm	4	33°±2°	1150	1050	15.8±0.2	45
22" / 3.0mm	6	35°±2°	1250	1450	16.8±0.2	55

Code	Material	Finishing	Packing
EF-Side Hung 8" 4 Bar	S.Steel SUS 304	SS	50 pair/ctn
EF-Side Hung 10" 4 Bar	S.Steel SUS 304	SS	50 pair/ctn
EF-Side Hung 12" 4 Bar	S.Steel SUS 304	SS	50 pair/ctn
EF-Side Hung 14" 4 Bar	S.Steel SUS 304	SS	25 pair/ctn
EF-Side Hung 16" 4 Bar	S.Steel SUS 304	SS	25 pair/ctn
EF-Side Hung 22" 5 Bar	S.Steel SUS 304	SS	25 pair/ctn

EF-18 SQUARE GROOVE SIDE HUNG

Stainless Steel Friction Stay - SUS 304




Quality
Stainless Steel
Slide Pallet with PVC
Coating



Safety
Edge Circumference
on Supporting Arms



Unique
6mm
Pivot



Side Hung

Size/Thickness	Bar	Opening Degree	Width(mm)	Height(mm)	Stack Height(mm)	Max Weight (kg)
8" / 2.0mm	4	55°±2°	500	600	14±0.2	10
12" / 2.0mm	4	88°±2°	550	1200	14±0.2	16
16" / 2.5mm	4	80°±2°	650	1500	15.8±0.2	20

Code	Material	Finishing	Packing
EF-Side Hung 8" 4 Bar	S.Steel SUS 304	SS	50 pair/ctn
EF-Side Hung 12" 4 Bar	S.Steel SUS 304	SS	50 pair/ctn
EF-Side Hung 16" 4 Bar	S.Steel SUS 304	SS	50 pair/ctn

EF-19 ROUND GROOVE - SIDE HUNG

Stainless Steel Friction Stay - SUS 304



Unique
6mm
Pivot




Safety
Edge Circumference
on Supporting Arms



For 19mm
Round Groove
Stainless Steel with
PVC Coating



For 20mm
Round Groove
Brass



Side Hung

Size/Thickness	Bar	Opening Degree	Width(mm)	Height(mm)	Stack Height(mm)	Max Weight (kg)
8" / 2.0mm	4	64°±2°	450	1200	13.5	10
12" / 2.0mm	4	88°±2°	550	1500	13.5	15
16" / 2.5mm	4	89°±2°	650	1300	15	19
20" / 3.0mm	5	65°±2°	700	1500	16.8	22

Code	Material	Finishing	Packing
EF-Side Hung 8" 4 Bar	S.Steel SUS 304	SS	100 pair/ctn
EF-Side Hung 12" 4 Bar	S.Steel SUS 304	SS	100 pair/ctn
EF-Side Hung 16" 4 Bar	S.Steel SUS 304	SS	50 pair/ctn
EF-Side Hung 20" 5 Bar	S.Steel SUS 304	SS	25 pair/ctn

EF-SUS 304 EXPOSED 2 BAR HINGE




Size / Thickness	Material	Finishing	Packing
1" / 2.5mm	S.Steel SUS 304	SS	50 pair/ctn

EF-SUS 304 CONCEALED 2 BAR HINGE




Size / Thickness	Material	Finishing	Packing
1" / 2.5mm	S.Steel SUS 304	SS	50 pair/ctn

EF-SUS 304 - 2 BAR HINGE




Size / Thickness	Material	Finishing	Packing
10" / 2.5mm	S.Steel SUS 304	SS	50 pair/ctn

EF-201 - 2 BAR HINGE (ROUND)




Size / Thickness	Material	Finishing	Packing
8" / 2.0mm	S.Steel 201	SS	50 pair/ctn
10" / 2.0mm			
12" / 2.0mm			

EF-SUS 304 - 2 BAR HINGE (SQUARE)




Size / Thickness	Material	Finishing	Packing
8" / 2.0mm	S.Steel SUS 304	SS	100 pair/ctn
10" / 2.0mm			
12" / 2.0mm			

EF-SUS 304 RESTRICTION ARM




Size / Thickness	Material	Finishing	Packing
12" / 2.0mm	S.Steel SUS 304	SS	100 pair/ctn

EF-SUS 304 - MULTI LOCKING BAR



Size / Thickness	Material	Finishing	Packing
12" / 2.5mm	S.Steel SUS 304	SS	100 pair/ctn

EF-SUS 304 - 4" 2 BAR HINGE



Size / Thickness	Material	Finishing	Packing
4" / 2.5mm	S.Steel SUS 304	SS	100 pair/ctn

EF-19 ROUND GROOVE - SIDE HUNG


Stainless Steel Friction Stay - 304



Code	Size/Thickness	Material	Finishing	Packing
EF-Side Hung 8" 4 Bar	8" / 2.0mm	S.Steel 201	SS	125 pair/ctn
EF-Side Hung 12" 4 Bar	12" / 2.0mm	S.Steel 201	SS	100 pair/ctn
EF-Side Hung 14" 4 Bar	14" / 2.5mm	S.Steel 201	SS	50 pair/ctn
EF-Side Hung 16" 4 Bar	16" / 2.5mm	S.Steel 201	SS	50 pair/ctn
EF-Side Hung 20" 5 Bar	20" / 3.0mm	S.Steel 201	SS	25 pair/ctn


EF-19 ROUND GROOVE - SIDE HUNG

Stainless Steel Friction Stay - 430



Code	Size/Thickness	Material	Finishing	Packing
EF-Side Hung 8" 4 Bar	8" / 2.0mm	Steel 430	SS	125 pair/ctn
EF-Side Hung 12" 4 Bar	12" / 2.0mm	Steel 430	SS	100 pair/ctn
EF-Side Hung 16" 4 Bar	16" / 2.5mm	Steel 430	SS	50 pair/ctn

EF- SUPPORTING ARM (SQUARE) R/L



Size / Thickness	Material	Finishing	Packing
8" / 3.0mm	S.Steel SUS 304	SS	50 pair/ctn
12" / 3.0mm			


Manufactured from quality materials, our rollers and guides ensure that the door system will consistently track in a smooth manner with support for both the top and bottom of the system.




TYPICAL HARDWARE ARRANGEMENT

ACCESSORIES HIGH PERFORMANCE FEATURES FOR FD 55 SERIES


The accessories listed herein are standard parts for the FD 55 series hanging & folding door. For technical support and assistance in the selection of these accessories for your particular need, please contact our sales personnel.




HORIZONTAL SECTIONAL DETAIL(WITH DOOR OPENED)



HORIZONTAL SECTIONAL DETAIL(WITH DOOR CLOSED)




VERTICAL SECTIONAL VIEWS



GH-FD33 HD01 BRASS


Top Roller Set With 4 Brass Wheels



Material : Aluminium / Brass
Finishing : ss
Packing : 50pcs / ctn

GH-FD55 01-TR


Top Roller Set With Nylon Wheels



Material : Aluminium / Nylon
Finishing : ss
Packing : 50pcs / ctn

GH-FD55 02-BG


Bottom Guide Set With Bearing Rollers



Material : Aluminium / Nylon
Finishing : ss
Packing : 25pcs / ctn

GH-FD33 HD03 BRASS


Top Roller With 4 Brass Wheels



Material : Aluminium / Brass
Finishing : ss
Packing : 50pcs / ctn

GH-MH-5580


Concealed Heavy Duty Hinge With Cover



Material : Aluminium / Brass
Finishing : White / Black
Packing : 200 set / ctn

GH-FD55 03-TR


Top Roller With Nylon Wheels



Material : Aluminium / Nylon
Finishing : ss
Packing : 50pcs / ctn

GH-FD55 04-BG


Bottom Guide With Single Bearing



Material : Aluminium / Nylon
Finishing : ss
Packing : 25pcs / ctn




Diagram:
Heavy Duty Side Hinge



The accessories listed here in are standard parts for the Series Multi Fold Door.


For technical support and assistance in the selection of these accessories for your particular needs, please contact our sales personnel.

GH-81-SH
Side Hinge


















Material : Aluminium
Finishing : White / Black
Packing : 200pcs / ctn


GH-82-MH
Mid Hinge



Material : Aluminium
Finishing : White / Black
Packing : 200pcs / ctn




GH-83-DH
D-Hinge With Handle



Material : Aluminium
Finishing : White / Black
Packing : 100pcs / ctn


GH-84-TR
Top Roller



Material : Aluminium / Nylon
Finishing : White / Black
Packing : 50pcs / ctn

GH-85-BG

Bottom Guide R/L




Inside(R)

Material : Aluminium
Finishing : White / Black
Packing : 100pcs / ctn

GH-86-TR


Top Roller (Concealed) Nylon



Material : Aluminium / Nylon
Finishing : White / Black
Packing : 50pcs / ctn

GH-89-BG

Bottom Guide R/L (Concealed)




Inside(R)

Material : Aluminium
Finishing : White / Black
Packing : 100pcs / ctn

GH-ET-78


Latch Bolt



Material : Zinc Alloy
Finishing : White / Black
Packing : 500pair / ctn

GH-87-BG

Bottom Guide R/L (Concealed)




Inside(R)

Material : Aluminium
Finishing : White / Black
Packing : 100pcs / ctn

GH-88-BG


Bottom Guide R/L (Exposed)



Inside(R)

Material : Aluminium
Finishing : White / Black
Packing : 100pcs / ctn


GH-T27
Lock Case



Material : Zinc Alloy
Finishing : Black
Packing : 50 pcs / ctn


GH-T2008

Transmission Lock Box (Concealed)




Material : Zinc Alloy
Finishing : SS
Packing : 40pcs / ctn

GH-MK-80
Latch Bolt




Material : Zinc Alloy
Finishing : White / Black
Packing : 500pair / ctn

GH-MK-101
Latch Bolt



Material : PVC
Finishing : Black
Packing : 500pcs / ctn


GH-T29
Lock Case



Material : Zinc Alloy
Finishing : White / Black / Silver
Packing : 120pcs / ctn


GH-T28

Collapsible Door Handle




Material : Zinc Alloy
Finishing : White / Black
Packing : 80pcs / ctn

GH-MSW-121
Latch Bolt



Material : Zinc Alloy
Finishing : White / Black / Zinc Alloy
Packing : 150pair / ctn


GH-MP-862
Latch Bolt Exposed Track



Material : Zinc Alloy
Finishing : White / Black
Packing : 360pcs / ctn

GH-MP-863


Latch Bolt Exposed Track



Material : Zinc Alloy
Finishing : White / Black
Packing : 360pcs / ctn

GH-MK-79


Bolt Keeper



Material : Zinc Alloy
Finishing : White / Black
Packing : 50pcs / ctn

GH-FD-5560


Concealed Flush Bolt



Material : Zinc Alloy
Finishing : White / Black
Packing : 150pair/ ctn

GH-T26

Concealed Door Handle



Material : Zinc Alloy
Finishing : White / Black
Packing : 90pcs / ctn



GH-ML-1615

Door Lock Set With Key



Material : Zinc Alloy
Finishing : White / Black
Packing : 25 set / ctn

GH-ML-1616


Door Lock Set Without Key




Material : Zinc Alloy
Finishing : White / Black
Packing : 25 set / ctn

GH-ML-1618

Door Lock Set Without Key





Material : Zinc Alloy
Finishing : White / Black / Silver
Packing : 25 set / ctn



IJ-RL-001-N

Sliding Door Roller Standard


Max Weight Capacity for
2 Roller / Panel : 40kg
Material : Mix Steel / Nylon
Finishing : MILL Finish
Packing : 200 pcs / ctn



IJ-RL-002-N

Sliding Window Roller


Max Weight Capacity for
2 Roller / Panel : 15kg
Material : Mix Steel / Nylon
Finishing : MILL Finish
Packing : 500 pcs / ctn



IJ-RL-004-N

Sliding Door Roller Economy



Max Weight Capacity for
2 Roller / Panel : 40kg
Material : Mix Steel / Nylon
Finishing : Mill Finish
Packing : 300 pcs / ctn



IJ-RL-001-D

Sliding Door Double Roller Standard


Max Weight Capacity for
2 Roller / Panel : 60kg
Material : Mix Steel / Nylon
Finishing : Mill Finish
Packing : 100 pcs / ctn



IJ-RL-001-B

Sliding Door Roller Standard (Brass)



Max Weight Capacity for
2 Roller / Panel : 50kg
Material : S.Steel / Brass
Finishing : Mill Finish
Packing : 150 pcs / ctn



IJ-RL-007-D

Sliding Door Double Roller Standard (Japan Bearing)


Max Weight Capacity for
2 Roller / Panel : 100kg
Material : Mix Steel / Nylon
Finishing : Mill Finish
Packing : 120 pcs / ctn



IJ-RL-006-N

Sliding Door Double Roller Economy



Max Weight Capacity for
2 Roller / Panel : 60kg
Material : Mix Steel / Nylon
Finishing : Mill Finish
Packing : 60 pcs / ctn



IJ-RL-004-B

Sliding Door Roller Economy (Brass)

Max Weight Capacity for
2 Roller / Panel : 50kg
Material : S.Steel / Brass
Finishing : Mill Finish
Packing : 150 pcs / ctn



IJ-RL-30

High Performance Roller (Green)

Max Weight Capacity

for 2 Roller / Panel : 80kg

Material : S.Steel / Nylon

Finishing : SS

Packing : 100 pcs / ctn



IJ-RL-15

Sliding Door Roller

Max Weight Capacity

for 2 Roller / Panel : 100kg

Material : S.Steel / Nylon

Finishing : Mild

Packing : 100 pcs / ctn



IJ-RL-2200


Max Weight Capacity

for 2 Roller / Panel : 50kg-80kg

Material : Zinc Alloy / Nylon

Finishing : SS

Packing : 30 set / ctn



IJ-RL-41

Sliding Door Roller

Max Weight Capacity : 180kg - 200kg

Material : SUS 304

Finishing : SS

Packing : 100 pcs / ctn



The variety of sliding door handles that are perfect for all and added security measure with precise designed.



KL-601

Sliding Lock With Double

Material : Zinc Die-Cast

Finishing : White / Black

Packing : 10 set / ctn




KL-602

Sliding Lock With Single Thumbturn

Material : Zinc Die-Cast

Finishing : White / Black

Packing : 10 set / ctn




KL-603

Sliding Lock With Single Thumbturn

Material : Zinc Die-Cast

Finishing : White / Black

Packing : 10 set / ctn



KL-604

Sliding Lock With Dummy Handle

Material : Zinc Die-Cast

Finishing : White / Black

Packing : 20 set / ctn




KL-605

Sliding Lock With Thumbturn & Key

Material : Zinc Die-Cast

Finishing : White / Black

Packing : 10 set / ctn



KL-606

Sliding Lock With Single Dummy Handle

Material : Zinc Die-Cast

Finishing : White / Black

Packing : 20 set / ctn



KL-6900

Sliding Lock With Thumbturn

Without Key

Material : Zinc Die-Cast

Finishing : White / Black


Packing : 10 set / ctn



KL-SD-01

Sliding Door Lock
Single With Key/ Without Key


Material : Zinc Alloy
Finishing : White / Black
Packing : 10 set / ctn



KL-SD-02


Sliding Door Lock
Double With Key/ Without Key

Material : Zinc Alloy
Finishing : White / Black
Packing : 10 set / ctn

**KL-SD-03**


Sliding Door Lock
Single With Key / Without Key

Material : Zinc Alloy
Finishing : White / Black
Packing : 10 set / ctn

**KL-SD-04**

Sliding Door Lock
Double With Key / Without Key


Material : Zinc Alloy
Finishing : White / Black
Packing : 10 set / ctn



KL-229


Lever Mortise Handle

Material : Aluminium
Finishing : White / Black / Silver
Packing : 20 set / ctn

**KL-228**

Lever Mortise Handle


Material : Aluminium
Finishing : White / Black / Silver
Packing : 20 set / ctn




SLIDING DOOR HANDLE

KL-HE-2A


Sliding Door Handle
Material : Aluminium / Solid
Finishing : White / Black
Packing : 50 pcs / ctn



Packing : 100 pcs / ctn



Packing : 50/100 pcs / ctn




Packing : 100 pcs / ctn




Packing : 100 pcs / ctn




Packing : 20 pcs / ctn




Packing : 20 pcs / ctn



Packing : 50 pcs / ctn



Packing : 50 pcs / ctn




KL-9113

Auto Lock Without Key (Single Side)

Material : Aluminium

Finishing : Black / White / Silver

Packing : 100 pcs / ctn




KL-9110

Size : 35-40mm


Material : Zinc Alloy

Finishing : Black / White / Silver


Packing : 50 pcs / ctn



Our range of mortise locks feature advanced design concepts for extreme reliability where the Latch, the Dead Bolt and the Strike Plate are manufactured using high quality material grade for exceptional durability.



KL-SGSL-85



- | | |
|------------------------------|----------------------|
| A-Forend Plate | J-Backset |
| B-Latch Bolt | K-Distance |
| C-Dead Bolt | L-Lockcase Width |
| D-Screw Channel for Cylinder | M-Lockcase Height |
| E-Lockcase | N-Forend Length |
| F-Action-Arm | O-Forend Width |
| G-Follower | P-Lockcase Thickness |
| H-Turning Device | Q-Forend Thickness |
| I-Spring | |

Specification

- ★ Stainless Steel SUS 304 3mm thickness Forend plate (Square)
- ★ Stainless Steel SUS 304 1.5mm thickness Forend plate (Square)
- ★ Stainless Steel SUS 304 1xCurve Design Latch Bolt
- ★ Stainless Steel SUS 304 1xSquare Dead Bolt
- ★ Electrolytic steel 1.2mm Lockcase
- ★ 8mmx8mm Follower.

Features

- ★ 25,30,35,40 Backset of door
- ★ 85mm Center distance of lock
- ★ Sash Lock Function
- ★ Reversible Latch Lock

Code	Material	Finishing	Packing
KL-SGSL-85-25mm	S.Steel SUS 304	SS	50 pcs/ctn
KL-SGSL-85-30mm			
KL-SGSL-85-35mm			
KL-SGSL-85-40mm	S.Steel SUS 304	SS	24 pcs/ctn
KL-SGSL-85-45mm			

KL - T - 3591

Twin Multi Lock

Material : S.Steel sus 304

Finishing : SS

Packing : 20 pcs / ctn



KL - T - 391

Twin Multi Lock

Material : S.Steel sus 304

Finishing : SS

Packing : 20 pcs / ctn



KL - T - 392

Twin Multi Lock

Material : S.Steel sus 304


Finishing : SS

Packing : 20 pcs / ctn




KL-T-0015

Twin Mortise Lock
Backset : 25.5
Material : S.Steel sus 304
Finishing : SS
Packing : 50 pcs / ctn




KL-F-99C

Square Escutcheon
Material : Zinc Alloy
Finishing : White / Black
Packing : 300 pair / ctn




KL-60-D/KL-70-D

Cylinder Double Key
Function : Double Key
Material : Brass
Finishing : SN / Matt Black
Packing : 50 pcs / ctn




KL-60-S/KL-70-S

Cylinder Single Key / Thumbturn
Function : Single Key / Thumbturn
Material : Brass
Finishing : SN / Matt Black
Packing : 50 pcs / ctn




KL-DUMMY COVER

For Profile Cylinder
Material : Zinc Alloy
Finishing : White / Black
Packing : 340 pair / ctn




KL-SL-192

Showcase Lock R/L
Material : S.Steel 201
Finishing : SS
Packing : 200 pcs / ctn




KL-45-T

One Sided Thumbturn
Function : Half Cylinder
With Thumbturn
Material : Brass
Finishing : SN
Packing : 50 pcs / ctn



KL-45-HC

One Sided Key
Function : Single Key
Material : Brass
Finishing : SN
Packing : 50 pcs / ctn




KL - 41055 SINGLE / DOUBLE

Hook Lock

Material : Brass / Zinc Alloy

Finishing : SN

Packing : 50 pcs / ctn




KL- 41054 SINGLE / DOUBLE

Dead Lock

Material : Brass / Zinc Alloy

Finishing : SN

Packing : 50 pcs / ctn




KL - ST - 55MM (A)

Single Key / Thumbturn

Material : Brass / Zinc Alloy

Finishing : SN

Packing : 200 pcs / ctn




KL- S- 55MM (A)

Double Key

Material : Brass / Zinc Alloy


Finishing : SN

Packing : 200 pcs / ctn




KL-V-0800

Tubular Lever With Key & Thumbturn
Function : Key / Thumbturn
Material : S.Steel SUS 304
Finishing : SN
Packing : 24pcs / ctn



KL-V-0801


Tubular Lever With Key & Thumbturn
Function : Key / Thumbturn
Material : Zinc Alloy
Finishing : SN
Packing : 10pcs / ctn



FLUSH BOLT


KL-FB-T301

Flush Bolt
Material : Zinc Alloy
Finishing : White / Black
Packing : 60 prs / ctn



KL-DH- 3"/4"

Door Hinge
Size : 75 x 51 x 1.2
101 x 76 x 2.0
Material : S.Steel SUS 304/S.Steel 201
Finishing : SS
Packing : 50pair / ctn



KL-ALM-4

Door Hinge
Size : 4"
Material : S.Steel
Finishing : Black / Silver / White
Packing : 100 pair / ctn




KL-ALUM-4

Door Hinge
Size : 4"
Material : S.Steel
Finishing : Black / Silver / White
Packing : 100 pair / ctn



KL-DF-0030


Oval Flush Pull
Material : S.Steel SUS 304
Finishing : SS
Packing : 200pcs / ctn



DOOR CLOSER



MN-DC-81N BIG MN-DC-80N SMALL



Code	Max Weight	Material	Finishing	Packing
MN-DC-80N SMALL	20kg- 40kg	Aluminium	Silver Matte Black	10pcs/ctn
MN-DC-80B MEDIUM	40kg-60kg			
MN-DC-81N LARGE	60kg-80kg			
MN-DC-81SB EXTRA LARGE	80kg-120kg			

- ★ The max width of door is 600 - 1200mm, suitable for the door weight of 45-60kg.
- ★ The adjustable section of closing speed is 180° - 20° the adjustable section to locking is 20° - 0°.
- ★ The painting plastic moving arm can protect from eroding: the excellent closing can protect from oil leakage.
- ★ Super aluminium alloy casting machine and the three layers of brightness painting will protect is from oxygenation.
- ★ Two hydraulic pressure valves control two sections of door closing separately the speed of locking have been control by the whole section of hydraulic pressure.
- ★ The high-carbon steel axis and rack work smart and less transfigure after being managed through high channel adjusting.
- ★ With a function of stopping at angle point of 90° and no angle point of 180°.
- ★ Distance: 162mm x 19mm



S-VVP-20

Floor Spring

Finishing : pss

Packing : 4 pcs / ctn




S-VVP-FT-10

Door Bottom Fitting

Material : S.Steel Zinc Die-Cast

Finishing : pss

Packing : 20 pcs /ctn




S-VVP-FT-20

Door Top Fitting

Material : S.Steel Zinc Die-Cast

Finishing : pss

Packing : 20 pcs /ctn



S-VVP-FT-40


Side Panel To Over Panel

With Pivot

Material : S.Steel Zinc Die-Cast

Finishing : pss

Packing : 20 pcs /ctn




S-VVP-FT-50

Lock Patch Fitting

Material : S.Steel Zinc Die-Cast

Finishing : pss

Packing : 20 pcs /ctn



S-VVP-FT-142

Pivot

Material : S.Steel Zinc Die-Cast


Finishing : pss

Packing : 100 pcs / ctn




FLOOR SPRING

Such floor springs are mounted in the floor directly under the pivot point and are completely concealed. An accessories ensures that it can be used successfully with a wide variety of door constructions and floor coverings.



- ★ Proven, robust unit for higher door weight.
- ★ Adjustable closing speed and latching speed.
- ★ Quality valves mechanism to prevent oil leakage.
- ★ High durability.
- ★ Concealed installation for maximum visual elegance.





MN-OCX-84-15
MN-OCX-84-20
MN-OCX-84-25
MN-OCX-84-30



Certificate No: 0359-CPR-000534

Product Classification

3	8	3	1	3
---	---	---	---	---



Code	MN-OCX-84			
Spring Tension	15	20	25	30
Closing Force (N m)0°-4°	13-18	18-26	26-37	37-54
Max Door Width (mm)	800	900	1100	1300
Max Door Weight (kg)	80	100	120	150
Max Open Angle	130			
Hold Open	105°/90°			
Closing Speed Adjustment	90°-25° (A)		25°-0°(B)	
Applicable Temperature	-20°-45°C			
Product Weight(kg)	5.1	5.2	5.3	5.4
Durability Test	500,000 Cycles			
Dimension of Cement Box(mm)	L	305(319)		
	W	108		
	H	40.5		
Max Class Thickness(mm)	12			
Material	S.Steel SUS 304			
Finishing	pss			
Packing	4pcs / ctn			

MN-P-10

Door Bottom Fitting
Material : S.Steel Zinc Die-Cast
Finishing : pss
Packing : 20 pcs / ctn




MN-P-20

Door Top Fitting
Material : S.Steel Zinc Die-Cast
Finishing : pss
Packing : 20 pcs / ctn



MN-P-40

Side Panel To Over Panel
Fitting With Pivot
Material : S.Steel Zinc Die-Cast
Finishing : pss
Packing : 20 pcs / ctn




MN-P-30

Door Frame Top Fitting
Material : S.Steel Zinc Die-Cast
Finishing : pss
Packing : 20 pcs / ctn




MN-P-30T

Door Frame Top Fitting
Material : S.Steel Zinc Die-Cast
Finishing : pss
Packing : 20 pcs / ctn




MN-P-50

Lock Patch Fitting
Material : S.Steel Zinc Die-Cast
Finishing : pss
Packing : 20 pcs / ctn



MN-P-41

Side Panel With Fin RL
Material : S.Steel Zinc Die-Cast
Finishing : pss
Packing : 4 pcs / ctn



MN-A141

Pivot
Material : S.Steel Zinc Die-Cast
Finishing : pss
Packing : 100 pcs / ctn




MN-A/L-ACCESSORIES - HVD

Frame & Wooden Fitting
Material : S.Steel Zinc Die-Cast
Finishing : pss
Packing : 20 pcs / ctn




BTS-60




Max door weigh: 80 kg
Max door width : 1000 mm
Packing : 4 pcs / ctn
Spring strength : 20

Dual valve control 130° to 15°/ 15° to 0°
Optional mechanical hold-open at 90°





- 1 - Infinitely variable closing speed in the range 130° - 15°
- 2 - Second closing range 15° - 0°
- 3 - Hold open at 90° (optional extra)

BTS-80




Max door weigh: 300 kg
Max door width : EN2 - 950 mm / EN3 - 1100 mm / EN4 - 1400 mm
Packing : 4 pcs / ctn
Spring strength : EN3/4/6

Selectable Delayed action between 175° to 75°
Multipoint hold open approx 175° to 75°
Mechanical backcheck at approx 70°





- 1 - Adjustable closing speed
- 2 - Hold range or delayed action range
- 3 - Adjustment range at which hold-open or end of delayed action range (approx. 105° to 75°)
- 4 - Fixed hold-open at 105° or 90° (option)

BTS-75V




Max door weigh: 150 kg
Max door width : 1100 mm
Packing : 4 pcs / ctn
Spring strength : EN1/2/3/4

Dual valve control 175° to 15°/ 15° to 0°
Optional mechanical hold-open at 105° or 90°
With Mechanical Backcheck (From Approx. 70°)




- 1 - Adjustable closing speed in the range 175° - 15°
- 2 - Second closing range 15° - 0°
- 3 - Mechanical backcheck from approx . 70°
- 4 - Fixed hold-open at 90° or 105° (option)
- 5 - Adjustable spring strength (EN 1-4)

BTS-84



Max door weigh: 100 kg
Max door width : EN2 - 850 mm / EN3 - 950 mm / EN4 - 1100 mm
Packing : 4 pcs / ctn
Spring strength : EN2/3/4


Dual valve control 130° to 0°/ 130° to 20°
Optional mechanical hold-open at 90°



- 1 - First adjusting closing range (130° - 0°)
- 2 - Second adjusting closing range (130° - approx . 20°)
- 3 - Hold open at 90° (optional extra)


GD US10 CORNER LOCK

Material : Satin stainless steel
Glass thickness : 12 mm
Weight : 0.565 kg
Direction : No




GD PT20 TOP PATCH

Material : Satin stainless steel
Glass thickness : 12 mm
Weight : 0.545 kg
Direction : No




GD PT30 OVERPANEL PATCH

Material : Satin stainless steel
Glass thickness : 12 mm
Weight : 0.545 kg
Direction : No




Dormakaba-7421

Description : Bottom strap for dormakaba floor springs
Material : Drop forged steel, zinc plated
Max.door weight : 300 kg
Max.door width : 1400 mm
For aluminium, steel or timber door



GD PT10 BOTTOM PATCH

Material : Satin stainless steel
Glass thickness : 12 mm
Weight : 0.550 kg
Direction : No



A/L Accessories



PC 91

Double Cylinder



HYDRAULIC FLOOR DOOR CLOSER

New innovation for self closing frameless glass door. The hydraulic closer mechanism which fits within the patch fitting and allows closing adjustment like a floor spring.



Removes the need for pre-casting or cutting floor spring boxes, which creating concrete dust.
Highly durabl.
Allows closing adjustment like a floor spring.
Easy to install and maintain.
Mounted directly to the floor making it more cost effective option for door

MN-JU-98

Hydraulic Floor Door Closer

Material : S.Steel Zinc Die-Cast


Finishing : pss

Packing : 10 pcs / ctn




Features


1. No need to make cavity on the ground, easy installation and saving labor.
2. Suitable for both indoor and outdoor use.
Maximum anti-wind rating up to grade 5, maximum load capacity. 150kgs.
3. Re-usable and maintenance free. It can be easily uninstalled without damage to the floor.
4. EN 1154 certified.
5. No water and dust accumulation, easy to clean.
6. SUS304 cover plate, rust resisting.




Product dimension




Base dimension




Product dimension



Product dimension



Product dimension



- Braking area
- fast closing area
- Door hold-open area


GLASS DOOR LOCK



- ★ Careful selection, multiple polishing, smooth, no burr left, easy to clean.
- ★ The switch is smooth without jamming.
- ★ Solid manufacturing, firm and strong, not easy to break.
- ★ Detachable, easy to install and widely used.

OP-GDL-011

Glass To Wall
Material : Brass
Finishing : cp
Packing : 30 pcs / ctn



OP-GDL-011K

Glass To Glass
Material : Brass
Finishing : cp
Packing : 30 pcs / ctn



OP-GDL-401

Glass To Glass Single Key
Material : S.Steel SUS 304
Finishing : SS / Matte Black
Packing : 20 pcs / ctn




OP-GDL-401A

Glass To Wall Single Key
Material : S.Steel SUS 304
Finishing : SS / Matte Black
Packing : 20 pcs / ctn




OP-GDL-402

Bathroom Lock Thumbturn
Material : Zinc Alloy
Finishing : CP / Matte Black
Packing : 20 pcs / ctn




OP-DL-017

Shower Door Latch
Material : Brass
Finishing : cp
Packing : 50 pcs / ctn




OP-GDL-402A

Bathroom Lock (Side)
Material : Zinc Alloy
Finishing : CP / Matte Black
Packing : 20 pcs / ctn




OP-DL-017-S

Shower Door Latch
Material : Brass
Finishing : cp
Packing : 50 pcs / ctn




OP-GDL-403

Glass Door Lock Single / Thumbturn
Material : S.Steel SUS 304
Finishing : SS / Matte Black
Packing : 20 pcs / ctn




OP-DL-016

Shower Door Latch
Material : Brass
Finishing : cp
Packing : 50 pcs / ctn




OP-GDL-403A

Glass Door Lock (Side) Single Key
Material : S.Steel SUS 304
Finishing : SS / Matte Black
Packing : 20 pcs / ctn



OP-DL-016-S

Shower Door Latch
Material : Brass
Finishing : cp
Packing : 50 pcs / ctn



DOOR LOCK WITH LEVERHANDLE




OP-GDL-501

Patch Lock With Cylinder
Material : S.Steel SUS 304
Finishing : SS / Matte Black
Packing : 12 pcs / ctn




OP-GDL-502

Patch Lock With Cylinder
Material : S.Steel SUS 304
Finishing : SS / Matte Black
Packing : 12 pcs / ctn



OP-GDL-503

Patch Lock With Cylinder
Material : S.Steel SUS 304
Finishing : SS / Matte Black
Packing : 12 pcs / ctn



SHOWER HINGE

Increasingly for bath and shower enclosures, designers and homeowners look for a more modern sleek and clean look in their bathrooms.



OP-301-MB

Glass To Wall 90°

Material : S.Steel SUS 304

Finishing : Matt Black

Packing : 20 pcs / ctn



OP-304-MB

Glass To Glass 90°

Material : S.Steel SUS 304

Finishing : Matt Black

Packing : 20 pcs / ctn



OP-305-MB

Glass To Wall 90°

Material : S.Steel SUS 304

Finishing : Matt Black

Packing : 20 pcs / ctn



OP-302-MB

Glass To Glass 135°

Material : S.Steel SUS 304

Finishing : Matt Black

Packing : 20 pcs / ctn



OP-303-MB

Glass To Glass 180°

Material : S.Steel SUS 304


Finishing : Matt Black

Packing : 20 pcs / ctn




OP-301-Z

Glass To Wall 90°
Material : Zinc Alloy
Finishing : cp
Packing : 20 pcs / ctn




OP-302-Z

Glass To Glass 135°
Material : Zinc Alloy
Finishing : cp
Packing : 20 pcs / ctn




OP-301-B

Glass To Wall 90°
Material : Brass
Finishing : cp
Packing : 20 pcs / ctn




OP-302-B

Glass To Glass 135°
Material : Brass
Finishing : cp
Packing : 20 pcs / ctn




OP-303-Z

Glass To Glass 180°
Material : Zinc Alloy
Finishing : cp
Packing : 20 pcs / ctn




OP-304-Z

Glass To Glass 90°
Material : Zinc Alloy
Finishing : cp
Packing : 20 pcs / ctn




OP-303-B

Glass To Glass 180°
Material : Brass
Finishing : cp
Packing : 20 pcs / ctn




OP-304-B

Glass To Glass 90°
Material : Brass
Finishing : cp
Packing : 20 pcs / ctn




OP-305-Z

Glass To Wall 90°
Material : Zinc Alloy
Finishing : cp
Packing : 20 pcs / ctn



OP-305-B

Glass To Wall 90°
Material : Brass
Finishing : cp
Packing : 20 pcs / ctn




OP-301-S

Glass To Wall 90°

Material : S.Steel SUS 304

Finishing : cp

Packing : 30 pcs / ctn




OP-302-S

Glass To Glass 135°

Material : S.Steel SUS 304

Finishing : cp

Packing : 30 pcs / ctn




OP-303-S

Glass To Glass 180°

Material : S.Steel SUS 304

Finishing : cp

Packing : 30 pcs / ctn




OP-304-S

Glass To Glass 90°

Material : S.Steel SUS 304

Finishing : cp

Packing : 30 pcs / ctn



OP-305-S

Glass To Wall 90°

Material : S.Steel SUS 304

Finishing : cp

Packing : 30 pcs / ctn



OP-SS-01

Shower Glass clip


Size : SS-901-19

A: $\Phi 19$ B: $\Phi 32$ C: $\Phi 32$

Material : Brass / Zinc Alloy / Matt Black

Finishing : cp

Packing : 20 pcs / ctn



OP-SS-02

Shower Glass Clip


Size : SS-902-19

A: $\Phi 19$ B: $\Phi 26$ C: $\Phi 55$

Material : Brass / Matt Black

Finishing : cp

Packing : 100 pcs / ctn



OP-SS-07

Shower Glass clip


Size : SS-903-19

A: $\Phi 19$ B: $\Phi 26$ C: $\Phi 53$

Material : Brass / Matt Black / Zinc Alloy

Finishing : cp

Packing : 100 pcs / ctn



OP-SS-04

Shower Glass clip


Size : SS-904-19

A: $\Phi 19$ B: $\Phi 26$ C: $\Phi 60$

Material : Brass / Matt Black

Finishing : cp

Packing : 100 pcs / ctn



OP-SS-08

Shower Glass clip

Material : Brass

Finishing : cp

Packing : 100 pcs / ctn




OP-SS-03

Shower Glass clip

Material : Brass

Finishing : cp

Packing : 100 pcs / ctn



SLIDING GLASS DOOR

Sliding Glass Door Installation Details



Daylight Opening	Entry Width	Door Width	Overpanel Width
910-1010mm	800-900mm	960-1060mm	2038mm
910-1010mm	910-1010mm	1060-1160mm	2238mm
910-1010mm	1000-1100mm	1160-1260mm	2438mm
910-1010mm	1000-1200mm	1260-1360mm	2638mm

Attentions

The distance for clamp fixing for track, wall fixing

1. Weight 80kg max-distance between the clamps

=1/2 the width of the door

2. Weight 80kg-120kg max-distance between the clamps


=1/3 the width of the door.

3. Weight 120kg- 150kg max-distance between the clamps


=1/4 the width of the door

Open Hole Measurements

as required by installation,
size≥55MM



OW=overpanel width
SW=sidelight width
DW=door width





OP-SA-938-1G

Sliding Glass Door Roller

Material : S.Steel SUS 304

Finishing : SS

Packing : 1 set/ ctn



OP-SA-86C-1 SET

Sliding Glass Door Roller

Size : 3.0 meter

Finishing : PSS / Matt Black

Material : PSS / Matt Black

Necessary Acc.No. : SA-86C-1 x 2 / SA-86B-1 /

SA-86-4L x 1 / SA-86A-4R x 1 / SA-86-3 x 2 /

SA-83A-5 x 1



OP-SA-86C-1

Sliding Glass
Door Roller



OP-SA-86B-1

Aluminium Track



OP-SA-86A-4L

End Cap Left



OP-SA-86-4R

End Cap Right




OP-SA-86A-3

Track Mounted
Door Stopper



OP-SA-83A-5

Bottom Guide




Note : TW=Tube Length / DW=Door Width / EW=Entry Width
Aluminium Top Track / Size : 25 meter / 4.0 meter

OP-A-22

Door Knob


Material : S.Steel SUS 304
Finishing : cp
Packing : 50 pcs / ctn



OP-A-21

Door Knob


Material : S.Steel SUS 304
Finishing : cp
Packing : 50 pcs / ctn



OP-A-17

Sliding Door Handle


Material : S.Steel SUS 304
Finishing : SS
Packing : 100 pcs / ctn



OP-A-18

Sliding Door Handle

Material : S.Steel SUS 304
Finishing : SS
Packing : 100 pcs / ctn




OP-HEADER ROUND GROOVE

Size : 12ft

Material : Aluminium

Finishing : cp / Matte Black

Packing : 10 pcs / ctn




OP-HEADER SQUARE GROOVE

Size : 12ft

Material : Aluminium

Finishing : cp / Matte Black

Packing : 10 pcs / ctn



OP-FIXED ANGLE

Material : Mix Steel

Finishing : cp

Packing : 300 pcs / ctn



OP-HEADER ADJUSTABLE BRACKET

Material : Mix Steel

Finishing : cp

Packing : 300 pcs / ctn



OP-ALUMINIUM U CHANNEL

Size : 3660 mm
Material : Aluminium
Finishing : cp / Matte Black
Packing : 20 pair / ctn



OP-STAINLESS STEEL U CHANNEL

Size : 2440 mm
Material : S.Steel SUS 304
Finishing : pss
Packing : pcs / ctn



OP-HEADER U CHANNEL

Material : Aluminium
Finishing : cp
Packing : 100 pcs / ctn







OP-S/STEEL ROUNF TUBE

Size: 6000 mm
Material : Aluminium
Finishing : pss
Packing : pcs



Shower sliding glass shower doors feature thick tempered glass. Take advantage of our modern accessories which come in 90 and 180 options.






Code	Accs.Nos	Material	Finishing	Packing
90°SET (60kg)	A002-1-2x(4pcs) A002-2-2x(4pcs) A002-5-2x(4pcs) A001-3-2x(1pcs) A002-4-2x(2pcs) A002-3-2x(4pcs) SA-83A-5Ax(2pcs) A17x(2pcs) A002-8-1x(1pcs)2.5mm	S.Steel SUS 304	PSS Matte Black	10 sets/cth
180°SET (60kg)	A002-1-2x(2pcs) A002-2-2x(2pcs) A002-5-2x(2pcs) A002-4-2x(2pcs) A002-3-2x(2pcs) SA-83A-5Ax(1pcs) A17x(1pcs) A002-8-1x(1pcs)2.5mm	S.Steel SUS 304	PSS Matte Black	10 sets/cth

Code	Accs.Nos			Size/Material	Finshing	Packing	(RM)/Unit
SD-200 90°SET	ASD-100-x{1pcs	ASD-102-x{4pcs	ASD-103-x{4pcs	2 mtr	CP	5 sets/cth	510.00
	ASD-104-x{2pcs	ASD-100-x{2pcs	ASD-101-x{1pcs	3 mtr			626.00
SD-100 180°SET	ASD-100-x{1pcs	ASD-102-x{2pcs	ASD-103-x{2pcs	2 mtr	CP	8 sets/cth	430.00
	ASD-104-x{2pcs	ASD-105-x{1pcs		3 mtr			520.00
A-17				S.Steel SUS 304	SS	20 pcs/cth	60.00
ASD-100(2 meter]				Aluminium	CP	4 pcs/cth	196.00
ASD-100(3 meter]				Aluminium	CP	4 pcs/cth	300.00


OP-GC-7

Glass Clip
Material : Zinc Alloy
Finishing : cp
Packing : 200 pcs / ctn




OP-GC-1

Glass Clip
Material : Zinc Alloy
Finishing : cp / Matte Black
Packing : 300 pcs / ctn




OP-GC-9

Glass Clip
Material : Zinc Alloy
Finishing : cp / Matte Black
Packing : 200 pcs / ctn




OP-WS-B008GA

Size : 10mm
Length : 2.4m
Material : Pvc
Finishing : Clear
Packing : 50 pair / ctn




OP-WS-B008GB

Size : 10mm
Length : 2.4m
Material : Pvc
Finishing : Clear
Packing : 50 pair / ctn




OP-WS-B008GC

Size : 10mm
Length : 2.4m
Material : Pvc
Finishing : Clear
Packing : 50 pair / ctn





OP-WS-B001

Size : 10mm / 12mm
Length : 2.4m
Material : Pvc
Finishing : Clear / Black
Packing : 200 pcs / ctn




OP-WS-B004

Size : 10mm / 12mm
Length : 2.4m
Material : Pvc
Finishing : Clear / Black
Packing : 200 pcs / ctn



OP-WS-B005

Size : 10mm
Length : 2.4m
Material : Pvc
Finishing : Clear
Packing : 200 pcs / ctn




OP-WS-B007

Size : 10mm / 12mm
Length : 2.4m
Material : Pvc
Finishing : Clear / Black
Packing : 200 pcs / ctn




OP-WS-B003

Size : 10mm / 12mm
Length : 2.4m
Material : Pvc
Finishing : Clear / Black
Packing : 200 pcs / ctn



OP-WS-B003A

Size : 10mm / 12mm
Length : 2.4m
Material : Pvc
Finishing : Clear / Black
Packing : 200 pcs / ctn



OP-WS-B009B

Size : 10mm
Length : 2.4m
Material : Pvc
Finishing : Clear / Black
Packing : 200 pcs / ctn




OP-WS-B009B

Size : 10mm
Length : 2.4m
Material : Pvc
Finishing : Clear
Packing : 200 pcs / ctn



OP-S-200A-6

Spider Fitting
Material : S.Steel SUS 304
Finishing : SS
Packing : 10 pcs / ctn




OP-S-200A-5

Spider Fitting
Material : S.Steel SUS 304
Finishing : SS
Packing : 10 pcs / ctn




OP-S-200A-3

Spider Fitting
Material : S.Steel SUS 304
Finishing : SS
Packing : 10 pcs / ctn




OP-S-200A-4

Spider Fitting
Material : S.Steel SUS 304
Finishing : SS
Packing : 10 pcs / ctn



OP-S-200A-1

Spider Fitting
Material : S.Steel SUS 304
Finishing : SS
Packing : 10 pcs / ctn



OP-F-200K-1

Spider Fitting

Material : S.Steel SUS 304

Finishing : SS

Packing : 10 pcs / ctn



OP-F-200K-2

Spider Fitting

Material : S.Steel SUS 304

Finishing : SS

Packing : 10 pcs / ctn



OP-F-200K-3

Spider Fitting

Material : S.Steel SUS 304

Finishing : SS

Packing : 10 pcs / ctn



OP-F-200K-4

Spider Fitting

Material : S.Steel SUS 304

Finishing : SS

Packing : 10 pcs / ctn



OP-F-200K-5

Spider Fitting


Material : S.Steel SUS 304

Finishing : SS

Packing : 10 pcs / ctn




OP-LQ-05




Standard Height : 1000mm
Material : S.Steel SUS 304
Finishing : SS
Packing : 10 pcs / ctn

OP-LQ-07



Standard Height : 1000mm
Material : S.Steel SUS 304
Finishing : SS
Packing : 10 pcs / ctn


OP-LQ-02(H/C/E)



Standard Height : 1000mm
Material : S.Steel SUS 304
Finishing : SS
Packing : 10 pcs / ctn


OP-1805

Material : S.Steel SUS 304
Finishing : SS
Packing : 48 pcs / ctn




OP-1810

Material : S.Steel SUS 304
Finishing : SS
Packing : 48 pcs / ctn




OP-1802

Material : S.Steel SUS 304
Finishing : SS
Packing : 48 pcs / ctn




OP-1814

Material : S.Steel SUS 304
Finishing : SS
Packing : 48 pcs / ctn



OP-1815

Material : S.Steel SUS 304
Finishing : SS
Packing : 48 pcs / ctn



OP-500-180

Double Side Connector (180°)



OP-500-SS

Single Side Connector



OP-500-90

Double Side Connector (90°)




OP-BS-S-220

Glass Fencing Spigots - Non Open Hole
Material : S.Steel SUS 304
Finishing : SS
Packing : 6 pcs / ctn




OP-BS-S-H220

GlassFencing Spigot - Open Hole
Material : S.Steel 201
Finishing : SS / Matt Black
Packing : 6 pcs / ctn




OP-BS-R-150

Glass Fencing Spigots - Non Open Hole
Material : S.Steel SUS 304
Finishing : PSS
Packing : 6 pcs / ctn



OP-G-04

Adjustable
Size : 28
Material : S.Steel SUS 304
Finishing : SS
Packing : 50 pcs / ctn



OP-T-83

Installation Tool
Material : S.Steel SUS 304
Finishing : SS
Packing : 100 pcs / ctn




PULL HANDLE

Handles are suitable for use on timber doors, aluminium doors and glass doors. They are commonly used on hinged doors, pivot doors and sliding doors making them the ideal choice for your commercial or residential project.




PULL HANDLE



QR-SH-723-Q(Matt Black)

Hole Size : $\Phi 15$
Material : S.Steel SUS 304
Finishing : Matt Black

Size	A	B	C	Packing
25x38	600	575	80	8 set/ctn
	900	875	80	
	1200	1175	80	
	1500	1475	80	



QR-SH-723-Q(ss)

Hole Size : $\Phi 15$
Material : S.Steel SUS 304
Finishing : ss

Size	A	B	C	Packing
25x38	600	575	80	8 set/ctn
	900	875	80	
	1200	1175	80	
	1500	1475	80	
	1800	1775	80	



QR-SH-301-B

Hole Size : $\Phi 15$
Material : S.Steel 201
Finishing : PSS


Size	A	B	C	Packing
38x600	600	275	75	8 set/ctn
38x900	900	600	75	10 set/ctn
38x1200	1200	900	75	
38x1500	1500	1200	75	
38x1800	1800	1500	75	



QR-SH-301-H

Hole Size : $\Phi 15$
Material : S.Steel SUS 304
Finishing : SSS


Size	A	B	C	Packing
38x600	600	275	75	8 set/ctn
38x900	900	600	75	10 set/ctn
38x1200	1200	900	75	
38x1500	1500	1200	75	
38x1800	1800	1500	75	



QR-301-MB

Hole : $\Phi 15$
Material : S.Steel 201
Finishing : Matt Black


Size	A	B	C	Packing
38x600	600	275	75	8 set/ctn
38x900	900	600	75	10 set/ctn
38x1200	1200	900	75	
38x1500	1500	1200	75	
38x1800	1800	1500	75	



QR-SH-82D-1

Material : S.Steel SUS 304
Finishing : SS


Size	Packing
35x1500	5 set/ctn



QR-SH-765

Material : S.Steel SUS 304
Finishing : SS

Size	Packing
25x38x1500	5 set/ctn



QR-SH-310-C

Hole : Φ 15
Material : S.Steel SUS 304
Finishing : SS

Size	A	B	C	Packing
25x38	600	562	83	8 set/ctn
	900	862	83	
	1200	1162	83	
	1500	1462	83	
	1800	1762	83	





QR-SH-310-C

Hole : Φ 15
Material : S.Steel SUS 304
Finishing : Matt Black

Size	A	B	C	Packing
25x38	600	562	83	8 set/ctn
	900	862	83	
	1200	1162	83	
	1500	1462	83	
	1800	1762	83	


PULL HANDLE



QR-SH-320-C

Hole : Φ 15
Material : S.Steel SUS 304
Finishing : SS

Size	A	B	C	Packing
38x25	600		83	8 set/ctn
	900		83	
	1200		83	
	1500		83	




QR-SH-320-C

Hole : Φ 15
Material : S.Steel SUS 304
Finishing : Matt Black

Size	A	B	C	Packing
38x25	600	575	83	8 set/ctn
	900	875	83	
	1200	1175	83	
	1500	1475	83	
	1800	1775	83	




PULL HANDLE



QR-SH-4013-S

Hole Size : $\Phi 15$
Material : S.Steel SUS 304
Finishing : PSS / SS

Size	A	B	C	Packing
25x25x300x450	275	425	70	20 set/ctn



QR-SH-201-S

Hole Size : $\Phi 15$
Material : S.Steel SUS 304
Finishing : PSS / Matt Black


Size	A	B	C	Packing
25x300x450	275	425	70	8 set/ctn



QR-SH-4013-I

Hole Size : $\Phi 15$
Material : PSS / SS

Size	A	B	C	Packing
25x13	450	425	70	40 set/ctn
25x25	450	425	70	




QR-SH-201-I ROUND

Hole Size : $\Phi 15$
Material : S.Steel SUS 304
Finishing : PSS

Size	A	B	C	Packing
25	450	425	70	40 set/ctn

PULL HANDLE



QR-SH-301-J

Hole Size : $\Phi 15$
Material : S.Steel SUS 304
Finishing : SS


Size	A	B	C	Packing
38x600	600	275	95	17 set/ctn
38x900	900	600	95	8 set/ctn



QR-SH-333

Hole Size : 15
Material : S.Steel 201
Finishing : PSS


Size	A	B	C
32x900	900	ADJ	32



QR-SH-301Q

Hole Size : $\Phi 15$
Material : S.Steel SUS 304
Finishing : SS

Size	A	B	C	Packing
38x600	600	275	77	10 set/ctn
38x900	900	600	77	10 set/ctn
38x1200	1200	900	77	10 set/ctn
38x1500	1500	1200	77	10 set/ctn
38x1800	1800	1500	77	10 set/ctn



QR-SH-628


Hole Size : $\Phi 15$
Material : S.Steel 201
Finishing : PSS

Size	A	B	C	Packing
25x300	300	275		20 pcs/ctn

QR-A-13

Material : Aluminium
Finishing : White / Black / Silver


Size	A	B	C	D	Packing
100x300	300	160	77	35	25 set/ctn



QR-SH-105

Hole Size : 15
Material : S.Steel SUS 304
Finishing : PSS


Size	A	B	C	Packing
38x600	300	275	25	25 set/ctn



QR-A-18

Material : S.Steel SUS 304
Finishing : SS


Size	A	B	C	D	Packing
100x300	300	150	100	1.5	50 set/ctn



QR-SH-723-N

Hole Size : Φ 15
Material : S.Steel 201
Finishing : PSS


Size	A	B	C	Packing
30x532	532	500	70	12 set/ctn




QR-A-19

Material : S.Steel SUS 304
Finishing : SS

Size	A	B	C	D	Packing
100x300	300	-	100	1.5	50 set/ctn



The Stainless Steel Screen Mesh security system has been researched, designed and developed by VSP to set a new standard in security doors and windows. With advanced engineering technology, researchers have achieved a unique and stylish design that also exceeds all relevant standards.



ST- Puller for Diamond Mesh

Material : Stainless Steel
Finishing : Silver
Packing : 16pcs / ctn



ST-AP-NET

Size : 1200mm x 3000mm x 1.0mm
1500mm x 3000mm x 1.0mm

Material : S.Steel SUS 304
Finishing : Black
Packing : 1pcs / ctn

ST-BP-11

Material : Stainless Steel
Finishing : Silver
Packing : 6 pcs / ctn



ST-YL-548

Glass Connector
Size : 18 x 30
Material : S.Steel 201
Finishing : SS



ST-500-GC

Glass Connector M8 x 25
Material : S.Steel SUS 304
Finishing : SS
Packing : 545 pcs / ctn



ST-GLASS SURFACE PROTECTION BLUE TAPE

1250MM x 200Meter

Code : ST-BLUE TAPE
Material : PVC
Finishing : BLUE
Packing : 1 log / ctn



ST-FROSTED FILM

1200mm x 15meter

Code : ST-FROSTED FILM
Material : PVC
Finishing : Sandblast
Packing : 1 log / ctn



ST-STEEL STRIP

With Hole
Packing : 1000 pcs / pkt



ST-SETTING BLOCK

Size : 10 x 12 x 1ft
12 x 15 x 1ft
20 x 25 x 1ft



ST-RIVETS

Size : 3.2 x 6.4
3.2 x 9.5
4.0 x 9.5
4.8 x 9.5
Colour : NA / MB
Packing : 20 box / ctn



ST-STRETCH FILM

Packing : 60 roll / ctn



No.
Date